

Emergency Procedures

Fire Drill Procedures

- Close doors and windows when leaving room
- Follow teacher to outside where attendance will be checked
- Stay together as a class
- Move well away from the building
- Do not talk
- Do not run
- Do not panic

Earthquake Drill Procedures

- Stop what you are doing
- Drop the floor
- Take cover (under a desk, table or other object)
- Hold onto the furniture legs
- Face away from windows or glass
- Remain under your cover until the shaking stops
- Listen for instructions from your teacher
- Do not use elevators to leave building

Report all injuries and accidents to the teacher immediately.

Basic First Aid

Burns

- Put burned area under gently running cold water or immerse in sink full of cool water
- Place a bag of ice, frozen peas, corn, etc. against the burn
- Never put grease on a burn

Cuts

- Put cut under cold running water
- To control severe bleeding, apply direct pressure to wound over a pad of dressing
- Elevate the cut area (or injured part)

Chemicals or Foreign Matter in Eye

- Flush with running water for at least 15 minutes.

Spill of Chemicals on Skin

- Remove contaminated clothing.
- Flush skin area with running water for at least 15 minutes.

Fainting

- Keep the person lying down
- Loosen any tight clothing
- Keep others from crowding around.

Report all injuries and accidents to the teacher immediately.

Name: _____

Date: _____

Emergency Scenarios

Describe 2 emergency scenarios involving injuries and the actions you would take in response to the scenario.

Example:

<p>Scenario:</p> <p>While you are watching TV, you hear your little sister crying. You go to her in the kitchen and discover that her finger is bleeding heavily.</p>	<p>Response:</p> <ul style="list-style-type: none">• get some gauze, pad of dressing or tissue for cut• apply direct pressure to the cut or wound• elevate (hold) the injured part up• call an adult for help
---	--

<p>1. Scenario (describe scenario and injury):</p>	<p>Response (describe action taken to control situation):</p>
<p>2. Scenario (describe scenario and injury):</p>	<p>Response (describe action taken to control situation):</p>

Look-Alike Poisons

Safe	Unsafe
Lemon candies	<ul style="list-style-type: none">• Halls cough drops
Sweet Tarts	<ul style="list-style-type: none">• Tums (coloured)
Candies	<ul style="list-style-type: none">• Baby aspirin• Cherry Berry toilet bowl deodorant
Hershey Bar	<ul style="list-style-type: none">• Ex-Lax
Apple juice	<ul style="list-style-type: none">• Murphy's Oil Soap
Juice, drinks	<ul style="list-style-type: none">• Mouthwash (red)• Red Oil Furniture Polish• Prescription cough syrup• Anti-freeze• Liquid Tylenol
Kool-Aid	<ul style="list-style-type: none">• Mouthwash (blue)• Windshield washer fluid• Glass cleaner
Kool-Aid	<ul style="list-style-type: none">• Mouthwash (green)
Powdered milk	<ul style="list-style-type: none">• White laundry detergent
Oatmeal	<ul style="list-style-type: none">• Rat poison
Water	<ul style="list-style-type: none">• Ammonia